

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

generative model vector classify distance obje

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about **59,400** for **generative model respective vector classify**. (0.38 seconds)**Scholarly articles for generative model respective vector classify**[Multiple cause vector quantization](#) - Ross - Cited by 17[Engineering support vector machine kernels that ...](#) - Zien - Cited by 177[Generative Versus Discriminative Methods for Object ...](#) - Ulusoy - Cited by 9**[PDF] Discriminative and generative approaches for classification of ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Generative models** (GMMs). For the **generative classification** approach, we con- ... a segment or boundary feature **vector**,  $x$ , we can assign ...[people.csail.mit.edu/malex/research\\_files/ml\\_report.pdf](http://people.csail.mit.edu/malex/research_files/ml_report.pdf) - [Similar pages](#)**Selection of Generative Models in Classification**is not valid since, for any **generative classification model**, ... Then, each cluster is associated with a **vector** coordinate in the following way. ...[doi.ieeecomputersociety.org/10.1109/TPAMI.2006.82](http://doi.ieeecomputersociety.org/10.1109/TPAMI.2006.82) - [Similar pages](#)**[PDF] Using vector quantization to build nonlinear factorial models of ...**

File Format: PDF/Adobe Acrobat

Further, a **generative model** of the data is built in. which the natural curvilinear coordinate on the manifold and the. **respective** departure away from the ...[ieeexplore.ieee.org/iel5/7221/19490/00900952.pdf](http://ieeexplore.ieee.org/iel5/7221/19490/00900952.pdf) - [Similar pages](#)**[PDF] Automated Classification Schemes for Optical Tomographic Arthritis ...**

File Format: PDF/Adobe Acrobat

Face with Support **Vector** Machines (SVMs), and Transformed ... **B. Generative Model Classification** (TMG). One benefit of a **generative** approach is that a user ...[ieeexplore.ieee.org/iel5/10755/33900/01616711.pdf?arnumber=1616711](http://ieeexplore.ieee.org/iel5/10755/33900/01616711.pdf?arnumber=1616711) - [Similar pages](#)**Engineering Support Vector Machine Kernels That Recognize ...**Support **Vector** Machines. Formally, SVMs like any other **classification** method aim at ...Exploiting **Generative Models** in Discriminative Classifiers. ...[www.bioinfo.de/isb/gcb99/talks/zien/main.html](http://www.bioinfo.de/isb/gcb99/talks/zien/main.html) - 33k - [Cached](#) - [Similar pages](#)**[PDF] Comparison of Generative and Discriminative Techniques for Object ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)in which an image described by a **vector**  $X$  (which might comprise raw pixel intensi- ... tures, while the **generative model** gives high **classification** accuracy, ...[research.microsoft.com/~cmbishop/downloads/Bishop-Sicily-05.pdf](http://research.microsoft.com/~cmbishop/downloads/Bishop-Sicily-05.pdf) - [Similar pages](#)**[PDF] Generative versus Discriminative Methods for Object Recognition**File Format: PDF/Adobe Acrobat - [View as HTML](#)The performance of the **generative model** immediately. after initialization and before running the EM algorithm. gave an overall correct **classification** rate ...[research.microsoft.com/~cmbishop/downloads/Bishop-CVPR-05.pdf](http://research.microsoft.com/~cmbishop/downloads/Bishop-CVPR-05.pdf) - [Similar pages](#)**[PDF] Multiple Cause Vector Quantization**File Format: PDF/Adobe Acrobat - [View as HTML](#)**2 Generative Model**. In MCVQ we assume there are  $K$  factors, each of which is modeled by a **vector** quantizer. with  $J$  states. To generate an observed data ...

[www.cs.toronto.edu/~dross/mcvq/RossZemel\\_MCVQ.pdf](http://www.cs.toronto.edu/~dross/mcvq/RossZemel_MCVQ.pdf) - Similar pages

**[PDF] Independent Component Analysis and Support Vector Machine for Face ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

tion and Support **Vector Machine classification** to extract facial features ... It is a **generative model**, which means that the observations are generated by ...

[www.springerlink.com/index/4LGJ6PD9RTNXJNVM.pdf](http://www.springerlink.com/index/4LGJ6PD9RTNXJNVM.pdf) - Similar pages

**[PDF] Bayesian Classification of Single-Trial Event-Related Potentials ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

support **vector machine**, our classifier design is guided by prior knowledge ... matrix – as a **generative model** for **classification**. For the competition data ...

[eprints.pascal-network.org/archive/00000575/01/kohbla04p.pdf](http://eprints.pascal-network.org/archive/00000575/01/kohbla04p.pdf) - Similar pages

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    **[Next](#)**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

generative model respective vector classify

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results **11 - 20** of about **59,400** for **generative model respective vector classify**. (0.15 seconds)**[PDF] Support Vector Learning for Semantic Argument Classification**File Format: PDF/Adobe Acrobat - [View as HTML](#)

tistical **classification** algorithm with one that uses Support **Vector** Machines ... Thompson, C. A., R. Levy, and C. D. Manning: 2003, 'A **Generative Model** for ...  
[www.stanford.edu/~jurafsky/mlj-2004.pdf](#) - [Similar pages](#)

**[PDF] A generative framework for real time object detection and ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

inference under the assumptions of the **generative model** described above. ... The resulting classifier was then used to **classify** an additional 120 eyes-open ...  
[mplab.ucsd.edu/publications/pdfs/FaselFortenberryMovellan-CVIU2005.pdf](#) - [Similar pages](#)

**[PDF] A Generative Framework for Real Time Object Detection and ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

**model**. One advantage of **generative models** is that probability estimates of ... work for real-time face detection and **classification**. ...  
[mplab.ucsd.edu/publications/pdfs/Fasel\\_CVIU05.pdf](#) - [Similar pages](#)

**[PDF] Support Vector Learning for Semantic Argument Classification**File Format: PDF/Adobe Acrobat - [View as HTML](#)

Pairwise **classification** and support **vector** machines. In B. Scholkopf, C. Burges, & A. ... A **generative model** for semantic role labeling. In ...  
[www.hlt.utdallas.edu/~vh/Courses/Spring06/Papers/Pradhan-ML-05.pdf](#) - [Similar pages](#)

**[PDF] Classification using non-standard metrics**File Format: PDF/Adobe Acrobat - [View as HTML](#)

In addition, data are not embedded in a real-**vector** space such ... realized by using the Fisher information of a **generative model** which describes ...  
[www2.in.tu-clausthal.de/~hammer/papers/postscripts/tutnonstand.pdf](#) - [Similar pages](#)

**[PDF] Landmark-Based Speech Recognition: Report of the 2004 Johns ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

created by combining the **generative** pronunciation **model** ... tered into the **respective** element of the **vector**; the entire. vocabulary can thus be represented ...  
[people.csail.mit.edu/klivescu/papers/hasegawa-johnson\\_etal\\_ICASSP05.pdf](#) - [Similar pages](#)

**Training Invariant Support Vector Machines**

Exploiting **generative models** in discriminative classifiers. ... Manabu Sassano, Virtual examples for text **classification** with Support **Vector** Machines, ...  
[portal.acm.org/citation.cfm?id=599672&dl=](#) - [Similar pages](#)

**[PDF] An Automated Classification of Tomographic Arthritis Scans**File Format: PDF/Adobe Acrobat - [View as HTML](#)

using support **vector** machine regression and transformation ... **vector** machine **model** for **classification**. ... 4.3 **Generative Model Classification** (TMG) ...  
[www.columbia.edu/~emz2101/04\\_4995/ezsh\\_final6772\\_06.pdf](#) - [Similar pages](#)

**[PDF] Contextual Classification by Entropy-Based Polygonization**

File Format: PDF/Adobe Acrobat

which can be described by the **generative model** shown in ... **vector** machines for land usage **classification** in Landsat TM. imagery. In Proc. IGARSS 99, vol. ...  
doi.ieeecomputersociety.org/10.1109/CVPR.2001.990995 - [Similar pages](#)

**[PDF] Independent Component Analysis and Support Vector Machine for Face ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

port **Vector Machine classification** to extract facial features in a face ... is a **generative model**, which means that the observations are generated by a ...

infoscience.epfl.ch/getfile.py?mode=best&recid=86989 - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Wed, 7 Mar 2007, 11:53:06 AM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (( generative model\* <near/9> distance\*)<in>ab ) <and>  
( (classif\* or identif\* or verif\* or authent\*)<in>ab ) )<and>  
( (sequen\* <near/3> vector\*)<in>ab )
- #2 (( generative model\* <near/9> distance\*)<in>ab ) <and>  
( (classif\* or identif\* or verif\* or authent\*)<in>ab ) )<and>  
( (sequen\* <near/3> vector\*)<in>ab )
- #3 (( generative model\*<in>ab ) <and> ( (class\* or identif\* or verif\*  
or authent\*)<in>ab ) )<and> ( vector\*<in>ab )
- #4 (( generative model\*<in>ab ) <and> ( (class\* or identif\* or verif\*  
or authent\*)<in>ab ) )<and> ( vector\*<in>ab )
- #5 (( generative model\*<in>ab ) <and> ( (class\* or identif\* or verif\*  
or authent\*)<in>ab ) )<and> ( vector\*<in>ab )
- #6 (( generative model\*<in>ab ) <and> ( (class\* or identif\* or verif\*  
or authent\*)<in>ab ) )<and> ( vector\*<in>ab )
- #7 (( generative model\*<in>ab ) <and> ( (class\* or identif\* or verif\*  
or authent\*)<in>ab ) )<and> ( vector\*<in>ab )
- #8 (( generative model\*<in>ab ) <and> ( (class\* or identif\* or verif\*  
or authent\*)<in>ab ) )<and> ( vector\*<in>ab )

Indexed by  
 Inspect<sup>o</sup>

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "( ( generative model\*<in>ab ) <and> ( (class\* or identif\* or verif\* or authent\*)<in>g..." ☐ e-mail

Your search matched 25 of 1513808 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

## Modify Search

(( generative model\*&lt;in&gt;ab ) &lt;and&gt; ( (class\* or identif\* or verif\* or authent\*)&lt;in&gt;ab )

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[Select All](#) [Deselect All](#)

- ☐ 1. **A Generative-Discriminative Hybrid Method for Multi-View Object Detection**  
Dong-Qing Zhang; Shih-Fu Chang;  
[Computer Vision and Pattern Recognition, 2006 IEEE Computer Society Conference](#)  
Volume 2, 2006 Page(s):2017 - 2024  
Digital Object Identifier 10.1109/CVPR.2006.27  
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. **Discriminative training of Bayesian Chow-Liu multinet classifiers**  
Kaizhu Huang; King, I.; Lyu, M.R.;  
[Neural Networks, 2003. Proceedings of the International Joint Conference on](#)  
Volume 1, 20-24 July 2003 Page(s):484 - 488 vol.1  
[AbstractPlus](#) | Full Text: [PDF\(399 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **Recognizing handwritten digits using hierarchical products of experts**  
Mayraz, G.; Hinton, G.E.;  
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)  
Volume 24, Issue 2, Feb. 2002 Page(s):189 - 197  
Digital Object Identifier 10.1109/34.982899  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(748 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. **Online Thai handwritten character recognition using hidden Markov model vector machines**  
Sanguansat, P.; Asdornwised, W.; Jitapunkul, S.;  
[Communications and Information Technology, 2004. ISCIT 2004. IEEE International](#)  
Volume 1, 26-29 Oct. 2004 Page(s):492 - 497 vol.1  
Digital Object Identifier 10.1109/ISCIT.2004.1412894  
[AbstractPlus](#) | Full Text: [PDF\(658 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 5. **Speaker verification using sequence discriminant support vector machine**  
Wan, V.; Renals, S.;  
[Speech and Audio Processing, IEEE Transactions on](#)  
Volume 13, Issue 2, March 2005 Page(s):203 - 210  
Digital Object Identifier 10.1109/TSA.2004.841042

[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

- ☐ **6. Discriminatively trained Markov model for sequence classification**  
Yakhnenko, O.; Silvescu, A.; Honavar, V.;  
[Data Mining, Fifth IEEE International Conference on](#)  
27-30 Nov. 2005 Page(s):8 pp.  
Digital Object Identifier 10.1109/ICDM.2005.52  
[AbstractPlus](#) | Full Text: [PDF\(200 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **7. A generative-discriminative hybrid for sequential data classification [image example]**  
Abou-Moustafa, K.T.; Suen, C.Y.; Cheriet, M.;  
[Acoustics, Speech, and Signal Processing, 2004. Proceedings. \(ICASSP '04\). International Conference on](#)  
Volume 5, 17-21 May 2004 Page(s):V - 805-8 vol.5  
Digital Object Identifier 10.1109/ICASSP.2004.1327233  
[AbstractPlus](#) | Full Text: [PDF\(265 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **8. Hybrid IMM/SVM approach for wavelet-domain probabilistic model based classification**  
Chen, L.; Man, H.;  
[Vision, Image and Signal Processing, IEE Proceedings-](#)  
Volume 152, Issue 6, 9 Dec. 2005 Page(s):724 - 730  
Digital Object Identifier 10.1049/ip-vis:20045030  
[AbstractPlus](#) | Full Text: [PDF\(420 KB\)](#) IET JNL
  
- ☐ **9. SVM Arithmetic and It's Application in Many Species Letter Image Recognition**  
Cao Zhaolong; Wan Fuyong;  
[Chinese Control Conference, 2006](#)  
Aug. 2006 Page(s):1862 - 1866  
Digital Object Identifier 10.1109/CHICC.2006.280873  
[AbstractPlus](#) | Full Text: [PDF\(5263 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **10. SVM Classifier Approach to Enumerate Directional Signals Impinging on Sensors**  
Ahmad Khodayari-Rostamabad; Reilly, J.P.;  
[Electrical and Computer Engineering, Canadian Conference on](#)  
May 2006 Page(s):2190 - 2193  
Digital Object Identifier 10.1109/CCECE.2006.277823  
[AbstractPlus](#) | Full Text: [PDF\(124 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **11. Onboard detection of jarosite minerals with applications to Mars**  
Bornstein, B.; Castano, R.; Gilmore, M.S.; Merrill, M.; Greenwood, J.P.;  
[Aerospace Conference, 2006 IEEE](#)  
4-11 March 2006 Page(s):7 pp.  
Digital Object Identifier 10.1109/AERO.2006.1656010  
[AbstractPlus](#) | Full Text: [PDF\(464 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **12. A generative model of human hair for hair sketching**  
Chen, H.; Zhu, S.C.;  
[Computer Vision and Pattern Recognition, 2005. CVPR 2005. IEEE Computer Conference on](#)  
Volume 2, 20-25 June 2005 Page(s):74 - 81 vol. 2

Digital Object Identifier 10.1109/CVPR.2005.31

[AbstractPlus](#) | Full Text: [PDF\(712 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

- ☐ **13. Generative, discriminative, and ensemble learning on multi-modal perce; toward news video story segmentation**  
Hsu, W.H.-M.; Shih-Fu Chang;  
[Multimedia and Expo, 2004. ICME '04. 2004 IEEE International Conference on](#)  
Volume 2, 27-30 June 2004 Page(s):1091 - 1094 Vol.2  
[AbstractPlus](#) | Full Text: [PDF\(647 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **14. A hybrid GMM-SVM speaker identification system**  
Mashao, D.J.;  
[AFRICON, 2004. 7th AFRICON Conference in Africa](#)  
Volume 1, 2004 Page(s):319 - 322 Vol.1  
Digital Object Identifier 10.1109/AFRICON.2004.1406684  
[AbstractPlus](#) | Full Text: [PDF\(582 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **15. Classification of time-series data using a generative/discriminative hybrid**  
Abou-Moustafa, K.T.; Cheriet, M.; Suen, C.Y.;  
[Frontiers in Handwriting Recognition, 2004. IWFHR-9 2004. Ninth International](#)  
26-29 Oct. 2004 Page(s):51 - 56  
Digital Object Identifier 10.1109/IWFHR.2004.26  
[AbstractPlus](#) | Full Text: [PDF\(136 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **16. Text-independent speaker recognition using probabilistic SVM with GMM**  
Fenglei Hou; Bingxi Wang;  
[Natural Language Processing and Knowledge Engineering, 2003. Proceedings](#)  
[International Conference on](#)  
26-29 Oct. 2003 Page(s):305 - 308  
Digital Object Identifier 10.1109/NLPKE.2003.1275919  
[AbstractPlus](#) | Full Text: [PDF\(309 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **17. Probabilistic bilinear models for appearance-based vision**  
Grimes, D.B.; Shon, A.P.; Rao, R.P.N.;  
[Computer Vision, 2003. Proceedings. Ninth IEEE International Conference on](#)  
13-16 Oct. 2003 Page(s):1478 - 1485 vol.2  
[AbstractPlus](#) | Full Text: [PDF\(1486 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **18. Man-made structure detection in natural images using a causal multiscale**  
Kumar, S.; Hebert, M.;  
[Computer Vision and Pattern Recognition, 2003. Proceedings. 2003 IEEE Conference on](#)  
Volume 1, 18-20 June 2003 Page(s):I-119 - I-126 vol.1  
[AbstractPlus](#) | Full Text: [PDF\(516 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **19. Bayesian learning for sparse signal reconstruction**  
Wipf, D.P.; Rao, B.D.;  
[Acoustics, Speech, and Signal Processing, 2003. Proceedings. \(ICASSP '03\). International Conference on](#)  
Volume 6, 6-10 April 2003 Page(s):VI - 601-4 vol.6  
Digital Object Identifier 10.1109/ICASSP.2003.1201753



[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

- ☐ **20. Evaluation of kernel methods for speaker verification and identification**  
Wan, V.; Renals, S.;  
[Acoustics, Speech, and Signal Processing, 2002. Proceedings. \(ICASSP '02\). International Conference on](#)  
Volume 1, 2002 Page(s):I-669 - I-672 vol.1  
Digital Object Identifier 10.1109/ICASSP.2002.1005828  
[AbstractPlus](#) | Full Text: [PDF\(353 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **21. Online handwriting recognition with support vector machines - a kernel a**  
Bahlmann, C.; Haasdonk, B.; Burkhardt, H.;  
[Frontiers in Handwriting Recognition, 2002. Proceedings. Eighth International](#)  
6-8 Aug. 2002 Page(s):49 - 54  
Digital Object Identifier 10.1109/IWFHR.2002.1030883  
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **22. A hybrid GMM/SVM approach to speaker identification**  
Fine, S.; Navratil, J.; Gopinath, R.A.;  
[Acoustics, Speech, and Signal Processing, 2001. Proceedings. \(ICASSP '01\). International Conference on](#)  
Volume 1, 7-11 May 2001 Page(s):417 - 420 vol.1  
Digital Object Identifier 10.1109/ICASSP.2001.940856  
[AbstractPlus](#) | Full Text: [PDF\(444 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **23. Learning the decision function for speaker verification**  
Bengio, S.; Mariethoz, J.;  
[Acoustics, Speech, and Signal Processing, 2001. Proceedings. \(ICASSP '01\). International Conference on](#)  
Volume 1, 7-11 May 2001 Page(s):425 - 428 vol.1  
Digital Object Identifier 10.1109/ICASSP.2001.940858  
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **24. Using the Fisher kernel method for Web audio classification**  
Moreno, P.J.; Rifkin, R.;  
[Acoustics, Speech, and Signal Processing, 2000. ICASSP '00. Proceedings. 2 International Conference on](#)  
Volume 6, 5-9 June 2000 Page(s):2417 - 2420 vol.4  
Digital Object Identifier 10.1109/ICASSP.2000.859329  
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **25. Probability functional of a vector non-Gaussian Markov process**  
Lyandres, V.;  
[Higher-Order Statistics, 1999. Proceedings of the IEEE Signal Processing Wor](#)  
14-16 June 1999 Page(s):247 - 250  
Digital Object Identifier 10.1109/HOST.1999.778735  
[AbstractPlus](#) | Full Text: [PDF\(112 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

## Refine Search

### Search Results -

Terms	Documents
L18 same (speaker or audio or face or object or image or fingerprint\$1)	16

**Search Forms**
**Search  
Results**
**User Searches:**
**Preferences**
**Logout**

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

**Search:**

L19

Refine Search

Recall Text

Clear

Interrupt

### Search History

**DATE:** Wednesday, March 07, 2007   
 [Purge Queries](#)   
 [Printable Copy](#)   
 [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ			
<u>L1</u>	((((generative or gaussian) near3 model\$1) or hmm\$2 or (hidden near1 markov)) same (sequen\$5 near2 vector) same (class\$8 or verif\$7 or identif\$6 or categor\$7)	89	<u>L1</u>
<u>L2</u>	L1 and distance\$1	37	<u>L2</u>
<u>L3</u>	L2 and kernel	7	<u>L3</u>
<u>L4</u>	((((generative or gaussian) near3 model\$1) or hmm\$2 or (hidden near1 markov)) near5 distance)	133	<u>L4</u>
<u>L5</u>	l4 same (sequen\$5 near5 vector)	3	<u>L5</u>
<u>L6</u>	((((generative or gaussian) near3 model\$1) or hmm\$2 or (hidden near1 markov)) same (replac\$6 near3 vector)	22	<u>L6</u>
<u>L7</u>	l6 same (class\$8 or verif\$7 or identif\$6 or categor\$7)	6	<u>L7</u>
<u>L8</u>	((((generative or gaussian) near3 model\$1) or hmm\$2 or (hidden near1 markov)) near5 (class\$8 or verif\$7 or identif\$6 or categor\$7))	1196	<u>L8</u>

<u>L9</u>	L8 same vector	281	<u>L9</u>
<u>L10</u>	l9 same (object or face or finger\$5 or audio)	47	<u>L10</u>
<u>L11</u>	L10 and distance	29	<u>L11</u>
<u>L12</u>	L11 and generative	1	<u>L12</u>
<u>L13</u>	l8 same (sequen\$5 near3 vector)	34	<u>L13</u>
<u>L14</u>	L13 same distance	0	<u>L14</u>
<u>L15</u>	(((generative or gaussian) near3 model\$1) or hmm\$2 or (hidden near1 markov)) near5 (class\$8 or verif\$7 or identif\$6 or categor\$7)) same distance	55	<u>L15</u>
<u>L16</u>	L15 and (svp or support vector)	8	<u>L16</u>
<u>L17</u>	l9 and kernel	32	<u>L17</u>
<u>L18</u>	(sequen\$5 near2 vector) with (generative or gaussian mixture or hmm or hidden markov) with (class\$8 o categor\$6 or identif\$6 or recogn\$6 or verif\$7 or authent\$6)	79	<u>L18</u>
<u>L19</u>	L18 same (speaker or audio or face or object or image or fingerprint\$1)	16	<u>L19</u>

END OF SEARCH HISTORY